

Sea-Level Impacts of Climate Change

Prof. Robert J. Nicholls

School of Civil Engineering and the Environment and
the Tyndall Centre for Climate Change Research

University of Southampton

Southampton SO17 1BJ

United Kingdom

r.j.nicholls@soton.ac.uk



Plan





- Introduction
- What is sea-level rise?
- Impacts of sea-level rise
- Responses to sea-level rise
- Concluding thoughts



Coasts and People


Population and economic density in the coastal zone is greater than other areas of the earth's surface.



Source: Nicholls and Small, 1993, Journal of Coastal Research

Current Exposure by Elevation

based on today's conditions in 84 developing countries





What is Sea-Level Rise?

Climate-induced Sea-Level Rise


Rising temperatures lead to:

- Thermal expansion of seawater;
- Melting of land-based ice
 - Small glaciers (e.g., Rockies, Alaska)
 - Greenland ice sheet
 - West Antarctic ice sheet




Global Sea-Level Rise

(Source: IPCC, 2007, AR4 WG1) ?



Subsiding Coastal Megacities

(maximum subsidence during the 20th Century)



What Are The Impacts of Sea-Level Rise?

Physical Impacts of Sea-Level Rise

NATURAL SYSTEM EFFECT		INTERACTING FACTORS	
		CLIMATE	NON-CLIMATE
1. Inundation, flood and storm damage	a. Surge (flooding from the sea)	Wave/storm climate, Erosion, Sediment supply.	Sediment supply, Flood management, Erosion, Land reclamation
	b. Backwater effect (flooding from rivers)	Run-off.	Catchment management and land use.
2. Wetland loss (and change)		CO ₂ fertilisation of biomass production, Sediment supply, Migration space	Sediment supply, Migration space, Land reclamation (i.e., direct destruction).
3. Erosion (of 'soft' morphology)		Sediment supply, Wave/storm climate.	Sediment supply.
4. Saltwater Intrusion	a. Surface Waters	Run-off.	Catchment management (over-extraction), Land use.
	b. Ground-water	Rainfall.	Land use, Aquifer use (over-pumping).
5. Higher water tables/ impeded drainage		Rainfall, Run-off.	Land use, Aquifer use, Catchment management.

Socio-Economic Impacts of SLR

Coastal Socio-economic Sector	Sea-level rise physical impact				
	Inundation, etc.	Wetland loss	Erosion	Saltwater intrusion	Higher water tables/ etc.
Freshwater Resources	X	x	-	X	X
Agriculture and forestry	X	x	-	X	X
Fisheries and Aquaculture	X	X	x	X	-
Health	X	X	-	X	x
Recreation and tourism	X	X	X	-	-
Biodiversity	X	X	X	X	X
Settlements/ infrastructure	X	-	X	X	X

X = strong; x= weak; - = negligible or not established.


Floods: December Northeaster 1992

New York City – FDR Drive




Submergence Due to Subsidence

Bangkok Area



(a) 1981




(b) 2002




Threatened Coastal Areas

to 40-cm of SLR by the 2080s




Exposed Population 2005

Top 20 Cities – based on 100 year flood plain



Exposed Assets 2005

Top 20 Cities – based on 100 year flood plain




What Can We Do About Sea-Level Rise?

Mitigation – source control


Adaptation – change behaviour

Mitigation Scenarios

Hadley Coupled Ocean-Atmosphere Model 2



Planned Adaptation to SLR



Many Adaptation Options are Available


P – Protection; A – Accommodation; R – Retreat.

NATURAL SYSTEM EFFECT		POSSIBLE ADAPTATION RESPONSES
1. Inundation, flood and storm damage	a. Surge	Dikes/surge barriers [P], Building codes/floodwise buildings [A], Land use planning/hazard delineation [A/R].
	b. Backwater effect	
2. Wetland loss (and change)		Land use planning [A/R], Managed realignment/ forbid hard defences [R], Nourishment/sediment management [P].
3. Erosion (of 'soft' morphology)		Coast defences [P], Nourishment [P], Building setbacks [R].
4. Saltwater Intrusion	a. Surface Waters	Saltwater intrusion barriers [P], Change water abstraction [A/R].
	b. Ground-water	Freshwater injection [P], Change water abstraction [A/R].
5. Rising water tables/ impeded drainage		Upgrade drainage systems [P], Polders [P], Change land use [A], Land use planning/hazard delineation [A/R].

Fraction of Coast Protected

Sensitivity Analysis on Protection Costs

FUND analysis (for the ATLANTIS Project)



Optimists vs. Pessimists

Optimists	Pessimists
Possible small rise in sea level (< 0.5 m by 2100)	Possible large rise in sea level (> 1 m by 2100)
High benefit-cost ratios	Extreme events and disasters
Adaptation will work	Adaptation will fail or is unaffordable
Thriving subsiding megacities	Optimistic socio-economic scenarios
	Observed protection tends to be reactive rather than proactive – the adaptation deficit
	Disasters could trigger coastal abandonment, undermining the case for protection
	Retreat and accommodation have long lead times and need to start now

Concluding Remarks (1)

- Climate-induced sea-level rise is inevitable – the uncertainty is its magnitude.
- This will be compounded by subsidence in many densely-populated coastal areas.
- Risks are already rising, and this will continue.
- The worst-case (do nothing) impacts are dramatic.
- There are widely differing views concerning the success or failure of adaptation.

Concluding Remarks (2)

- Mitigation of climate and subsidence is needed to make the problem more manageable.
- To adapt to dynamic coastal risks, proactive assessment is required including:
 - defining the relevant drivers,
 - the potential impacts,
 - the potential adaptation responses,
 - selection of sustainable adaptation pathways.

Sea-Level Impacts of Climate Change

Prof. Robert J. Nicholls

School of Civil Engineering and the Environment and
the Tyndall Centre for Climate Change Research

University of Southampton

Southampton SO17 1BJ

United Kingdom

r.j.nicholls@soton.ac.uk